

PRODUCT DATASHEET

Lenina series

last update 1/11/2016


DETAILS

Product Number	CN13345_LENINA-M
Family	Lenina
Type	RefPack
Color	metal
Diameter	74 mm
Height	47,3 mm
Style	round
Optic Material	
Holder Material	
Fastening	socket
Status	production ready
ROHS Comliant	Yes
Date Updated	1/11/2016


OPTICAL PROPERTIES

LED	Viewing Angle	Light Beam	Effi- ciency	cd/lm	Connector
CXA/B 25xx	33 deg	Medium	86 %	1.900	-

Relative intensity of CN13345_LENINA-M-CXA25




Luminaire: LEDiL Oy CN13345_LENINA-M_(CXA25) Eff.85.4%
Lamps: 1 x CREE_CXA25_(2520-7A-N4-N0U) 888.265lm@250mA CCT=3000K P=8.58457W I=249.9mA



Luminaire: LEDiL Oy CN13345_LENINA-M_(CXA25) Eff.85.4%

Lamps: 1 x CREE_CXA25_(2520-7A-N4-N0U) 888.265lm@250mA CCT=3000K P=8.58457W I=249.9mA



cd/klm

$\eta = 85\%$

— C0 - C180

— C90 - C270

NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.